



SPECIFICATION LIST

规格一览表

重型滑轨
Heavy Duty Slides

中载滑轨
Medium Duty Slides

轻载滑轨
Light Duty Slides

Heavy Duty Slides 重型滑轨

FX3076	P 01	FX3076L	P 02	FX3053	P 03
 SPCC 最大额定负载 Load Rating: 227kg 高度 Height: 76mm 横截面宽度 Cross Section: 19.5mm 行程 Travel: 100%		 SPCC 最大额定负载 Load Rating: 227kg 高度 Height: 76mm 横截面宽度 Cross Section: 19.5mm 行程 Travel: 100%		 SPCC 最大额定负载 Load Rating: 115kg 高度 Height: 53mm 横截面宽度 Cross Section: 19.0mm 行程 Travel: 100%	

■ Under Mounted/ Two Way Extension 底部安装/双向行程

■ Under Mounted/ Single Side Lock 底部安装/单侧锁紧

Heavy Duty Slides 重型滑轨

FX3053L	P 04	FX3053T	P 05	FX3053B	P 06
 SPCC 最大额定负载 Load Rating: 115kg 高度 Height: 53mm 横截面宽度 Cross Section: 19.0mm 行程 Travel: 100%		 SPCC 最大额定负载 Load Rating: 115kg 高度 Height: 53mm 横截面宽度 Cross Section: 19.0mm 行程 Travel: 100%		 SUS304 最大额定负载 Load Rating: 115kg 高度 Height: 53mm 横截面宽度 Cross Section: 19.0mm 行程 Travel: 100%	

■ Single Side Lock 单侧锁紧

Heavy Duty Slides 重型滑轨

FX3090	P 07	FX2090	P 08	FX3070	P 09
 AL-alloy 最大额定负载 Load Rating: 1000kg 高度 Height: 90mm 横截面宽度 Cross Section: 46.0mm 行程 Travel: 100%		 AL-alloy 最大额定负载 Load Rating: 530kg 高度 Height: 90mm 横截面宽度 Cross Section: 26.8mm 行程 Travel: 60%		 AL-alloy 最大额定负载 Load Rating: 500kg 高度 Height: 90mm 横截面宽度 Cross Section: 46.0mm 行程 Travel: 100%	

■ Under Mounted 底部安装

■ Two Way Extension 双向行程

■ Under Mounted 底部安装

Medium Duty Slides 中载滑轨

FX3051	P 11	FX3051L	P 12
 SPCC 最大额定负载 Load Rating: 68kg 高度 Height: 51mm 横截面宽度 Cross Section: 12.7mm 行程 Travel: 100%		 SPCC 最大额定负载 Load Rating: 68kg 高度 Height: 51mm 横截面宽度 Cross Section: 12.7mm 行程 Travel: 100%	

Light Duty Slides 轻载滑轨


FX3045	P 14	FX3045L	P 15	FX3045B	P 16
 SPCC 最大额定负载 Load Rating: 45kg 高度 Height: 45mm 横截面宽度 Cross Section: 12.7mm 行程 Travel: 100%		 SPCC 最大额定负载 Load Rating: 45kg 高度 Height: 45mm 横截面宽度 Cross Section: 12.7mm 行程 Travel: 100%		 SUS304 最大额定负载 Load Rating: 45kg 高度 Height: 45mm 横截面宽度 Cross Section: 12.7mm 行程 Travel: 100%	

■ Soft Close/Touch Open/Detent 阻尼/反弹/卡紧

■ Soft Close 阻尼

Craftsmanship builds, strives for perfection 匠心工艺 精益求精

Specialty Slides For Automatic System 自动化专业滑轨

SRH151/SRRH151	P 18	FX3036	P 19	FX3036B	P 20
 SPCC 最大额定负载 Load Rating: 68kg 高度 Height: 51mm 横截面宽度 Cross Section: 12.7mm 行程 Travel: 100%		 SPCC 最大额定负载 Load Rating: 55kg 高度 Height: 35.3mm 横截面宽度 Cross Section: 19.1mm 行程 Travel: 100%		 SUS304 最大额定负载 Load Rating: 55kg 高度 Height: 35.3mm 横截面宽度 Cross Section: 19.1mm 行程 Travel: 100%	

■ Non-disconnected \$10H130不可拆

■ Detent In 防回弹功能

Specialty Slides For Automatic System 自动化专业滑轨

FX3027	P 21	FX3027B	P 22	FX3020	P 23
 SPCC 最大额定负载 Load Rating: 40kg 高度 Height: 27mm 横截面宽度 Cross Section: 19.2mm 行程 Travel: 105%		 SUS304 最大额定负载 Load Rating: 40kg 高度 Height: 27mm 横截面宽度 Cross Section: 19.2mm 行程 Travel: 105%		 SPCC 最大额定负载 Load Rating: 25kg 高度 Height: 20mm 横截面宽度 Cross Section: 16.0mm 行程 Travel: 105%	

■ Detent In 防回弹功能

Specialty Slides For Automatic System 自动化专业滑轨

FX2027	P 24	FX2027B	P 25	FX2036	P 26
 SPCC 最大额定负载 Load Rating: 25kg 高度 Height: 27mm 横截面宽度 Cross Section: 9.5mm 行程 Travel: 75%		 SUS304 最大额定负载 Load Rating: 25kg 高度 Height: 27mm 横截面宽度 Cross Section: 9.5mm 行程 Travel: 75%		 SPCC 最大额定负载 Load Rating: 40kg 高度 Height: 36mm 横截面宽度 Cross Section: 9.6mm 行程 Travel: 75%	

Specialty Slides For Automatic System 自动化专业滑轨

FX2036B	P 27	FX3020H	P 28	FX2020H	P 29
 SUS304 最大额定负载 Load Rating: 40kg 高度 Height: 36mm 横截面宽度 Cross Section: 9.6mm 行程 Travel: 75%		 AL-alloy 最大额定负载 Load Rating: 30kg 高度 Height: 20mm 横截面宽度 Cross Section: 16.0mm 行程 Travel: 115%		 AL-alloy 最大额定负载 Load Rating: 13kg 高度 Height: 20mm 横截面宽度 Cross Section: 8.0mm 行程 Travel: 60%	

Specialty Slides For Automatic System 自动化专业滑轨

FX2028	P 30	FX3028	P 31	FX2043	P 32
 Steel 最大额定负载 Load Rating: 400kg 高度 Height: 28mm 横截面宽度 Cross Section: 13.0mm 行程 Travel: 51%		 Steel 最大额定负载 Load Rating: 200kg 高度 Height: 28mm 横截面宽度 Cross Section: 26.0mm 行程 Travel: 100%		 Steel 最大额定负载 Load Rating: 600kg 高度 Height: 43mm 横截面宽度 Cross Section: 22.0mm 行程 Travel: 51%	

FX3043

P 33
 Steel 最大额定负载 Load Rating: 300kg 高度 Height: 43mm 横截面宽度 Cross Section: 44mm 行程 Travel: 100%


■ 材质 Material

■ 可选项 Options


自动化专用滑轨
Specialty Slides For Automatic System

CROSS SECTION 横截面


HEAVY DUTY SLIDES 重型滑轨




MEDIUM DUTY SLIDES 中载滑轨



LIGHT DUTY SLIDES 轻载滑轨



SPECIALTY SLIDES FOR AUTOMATIC SYSTEM 自动化专业滑轨



HEAVY DUTY SLIDES

重载滑轨



227
kg

19.5mm
side space

Steel Heavy Duty Slides
钢制重载滑轨 **FX3076**



- 产品可应用高承载的活动柜，工业用柜，货柜，多用途运输车，自动化设备，仓储设备等要求全展开的用途。
Offering heavy duty support in various industrial storage application such as financial equipment, industrial electromechanical devices, tool cabinets, medical equipment and utility trucks and etc.

全行程
Full extension

重负载
Heavy load capacity


不可拆分
Non-disconnect

侧装
Side-mounted

偶数英寸长度
8"~80" [1"=25.4mm]
Available in even lengths
8"~80" [1"=25.4mm]

表面处理采用
电镀锌
Surface is blue and zinc plated

FX3076



产品规格 Product Size	I	L	A	B	C	D	E	F	G	H	J	K	M	N	P	Q	R	S
FX3076-58	1473.2	1473.2	127	190.5	368.3	520.7	825.5	1262.1	1322.3	1347.7	1366.8	1385.8	234.9	596.9	958.8	1371.6	1428.8	1447.8
FX3076-56	1422.4	1422.4	127	190.5	368.3	520.7	825.5	1211.3	1271.5	1296.9	1316	1335	234.9	596.9	958.8	1320.8	1378	1397
FX3076-54	1371.6	1371.6	127	190.5	368.3	520.7	825.5	1160.5	1220.7	1246.1	1265.2	1284.2	234.9	596.9	958.8	1270	1327.2	1346.2
FX3076-52	1320.8	1320.8	127	190.5	368.3	520.7	825.5	1109.7	1169.9	1195.3	1214.4	1233.4	234.9	596.9	958.8	1219.2	1276.4	1295.4
FX3076-50	1270	1270	127	190.5	368.3	520.7	825.5	1058.9	1119.1	1144.5	1163.6	1182.6	234.9	596.9	958.8	1168.4	1225.6	1244.6
FX3076-48	1219.2	1219.2	127	190.5	368.3	520.7	825.5	1008.1	1068.3	1093.7	1112.8	1131.8	234.9	596.9	958.8	1117.6	1174.8	1193.8
FX3076-46	1168.4	1168.4	127	190.5	368.3	520.7	-	957.3	1017.5	1042.9	1062	1081	235	571.5	908.1	1066.8	1124	1143
FX3076-44	1117.6	1117.6	127	190.5	368.3	520.7	-	906.5	966.7	992.1	1011.2	1030.2	235	546.1	857.3	1016	1073.2	1092.2
FX3076-42	1066.8	1066.8	127	190.5	368.3	520.7	723.9	855.7	915.9	941.3	960.4	979.4	235	520.7	806.5	965.2	1022.4	1041.4
FX3076-40	1016	1016	127	190.5	368.3	520.7	-	804.9	865.1	890.5	909.6	928.6	235	495.3	755.7	914.4	971.6	990.6
FX3076-38	965.2	965.2	127	190.5	368.3	520.7	-	754.1	814.3	839.7	858.8	877.8	235	469.9	704.9	863.6	920.8	939.8
FX3076-36	914.4	914.4	127	190.5	368.3	520.7	-	703.3	763.5	788.9	808	827	234.9	444.5	654.1	812.8	870	889
FX3076-34	863.6	863.6	127	190.5	368.3	469.9	-	652.5	712.7	738.1	757.2	776.2	234.9	419.1	603.3	762	819.2	838.2
FX3076-32	812.8	812.8	127	190.5	368.3	-	-	601.7	661.9	687.3	706.4	725.4	234.9	393.7	552.5	711.2	768.4	787.4
FX3076-30	762	762	127	190.5	368.3	-	-	550.9	611.1	636.5	655.6	674.6	234.9	-	501.6	660.4	717.6	736.6
FX3076-28	711.2	711.2	127	190.5	-	-	-	500.1	560.3	585.7	604.8	623.8	-	-	-	609.6	666.8	685.8
FX3076-26	660.4	660.4	127	190.5	-	-	-	449.3	509.5	534.9	553.9	573	-	-	-	558.8	615.9	635
FX3076-24	609.6	609.6	127	190.5	-	-	-	398.5	458.7	484.1	503.2	522.2	-	-	-	508	565.2	584.2
FX3076-22	558.8	558.8	127	190.5	-	-	-	347.7	407.9	433.3	452.4	471.4	-	-	-	457.2	514.4	533.4
FX3076-20	508	508	127	190.5	-	-	-	296.9	357.1	382.5	401.6	420.6	-	-	-	406.4	463.6	482.6
FX3076-18	457.2	457.2	127	-	-	-	-	246.1	306.3	331.7	350.8	369.8	-	-	-	355.6	412.8	431.8
FX3076-16	406.4	406.4	127	-	-	-	-	-	255.5	280.9	299.9	319	-	-	-	304.8	361.9	381
FX3076-14	355.6	355.6	-	-	-	-	-	-	204.7	203.1	249.2	268.2	-	-	-	254	312	330.2
FX3076-12	304.8	304.8	-	-	-	-	-	-	153.9	179.3	198.4	217.4	-	-	-	203.2	260.4	279.4
FX3076-10	254	254	-	-	-	-	-	-	103.1	128.5	147.6	166.6	-	-	-	152.4	209.6	228.6

重载滑轨
Heavy Duty Slides

中载滑轨
Medium Duty Slides

轻载滑轨
Light Duty Slides

自动化专用滑轨
Specialty Slides For Automatic System

FX3076L

Steel Heavy Duty Slides
钢制重载滑轨

227
kg

19.5mm
side space



- 产品可应用在金融设备、工业电子设备、工具柜、医疗设备和汽车部分等。
Offering heavy duty support in various industrial storage application such as financial equipment, industrial electro-mechanical devices, tool cabinets, medical equipment and automotive parts and etc.


全行程
Full extension

闭合及展开位置锁定以确保在抽屉
在车辆行驶中保持安全密闭
Lock-in/Lock-out to ensure drawers stay
securely closed in vehicle driving.

不可拆分
Non-disconnect

侧装
Side-mounted

偶数英寸长度
12"~80" [1"=25.4mm]
Available in even lengths
12"~80" [1"=25.4mm]



产品规格 Product Size	1	L	A	B	C	D	E	F	G	H	J	K	M	N	P	Q	R	S
FX3076-58	1473.2	1473.2	127	190.5	368.3	520.7	825.5	1262.1	1322.3	1347.7	1366.8	1385.8	235	596.9	958.8	1371.6	1428.8	1447.8
FX3076-56	1422.4	1422.4	127	190.5	368.3	520.7	825.5	1211.3	1271.5	1296.9	1316	1335	235	596.9	958.8	1320.8	1378	1397
FX3076-54	1371.6	1371.6	127	190.5	368.3	520.7	825.5	1160.5	1220.7	1246.1	1265.2	1284.2	235	-	958.8	1270	1327.2	1346.2
FX3076-52	1320.8	1320.8	127	190.5	368.3	520.7	825.5	1109.7	1169.9	1195.3	1214.4	1233.4	235	-	958.8	1219.2	1276.4	1295.4
FX3076-50	1270	1270	127	190.5	368.3	-	825.5	1058.9	1119.1	1144.5	1163.6	1182.6	235	596.9	958.8	1168.4	1225.6	1244.6
FX3076-48	1219.2	1219.2	127	190.5	368.3	-	825.5	1008.1	1068.3	1093.7	1112.8	1131.8	235	596.9	958.8	1117.6	1174.8	1193.8
FX3076-46	1168.4	1168.4	127	190.5	368.3	-	-	957.3	1017.5	1042.9	1062	1081	235	571.5	908.1	1066.8	1124	1143
FX3076-44	1117.6	1117.6	127	190.5	368.3	-	-	906.5	966.7	992.1	1011.2	1030.2	235	546.1	857.3	1016	1073.2	1092.2
FX3076-42	1066.8	1066.8	127	190.5	368.3	520.7	723.9	855.7	915.9	941.3	960.4	979.4	235	520.7	806.5	965.2	1022.4	1041.4
FX3076-40	1016	1016	127	190.5	368.3	520.7	-	804.9	865.1	890.5	909.6	928.6	235	495.3	755.7	914.4	971.6	990.6
FX3076-38	965.2	965.2	127	190.5	-	520.7	-	754.1	814.3	839.7	858.8	877.8	235	469.9	704.9	863.6	920.8	939.8
FX3076-36	914.4	914.4	127	190.5	-	520.7	-	703.3	763.5	788.9	808	827	235	444.5	654.1	812.8	870	889
FX3076-34	863.6	863.6	127	190.5	-	469.9	-	652.5	712.7	738.1	757.2	776.2	235	419.1	603.3	762	819.2	838.2
FX3076-32	812.8	812.8	127	190.5	-	-	-	601.7	661.9	687.3	706.4	725.4	235	393.7	552.5	711.2	768.4	787.4
FX3076-30	762	762	127	190.5	368.3	-	-	550.9	611.1	636.5	655.6	674.6	235	-	501.6	660.4	717.6	736.6
FX3076-28	711.2	711.2	127	190.5	-	-	-	500.1	560.3	585.7	604.8	623.8	-	-	476.2	609.6	666.8	685.8
FX3076-26	660.4	660.4	127	190.5	-	-	-	449.3	509.5	534.9	553.9	573	-	-	451.8	558.8	615.9	635
FX3076-24	609.6	609.6	127	-	-	-	-	398.5	458.7	484.1	503.2	522.2	-	-	426.6	508	565.2	584.2
FX3076-22	558.8	558.8	127	-	-	-	-	347.7	407.9	433.3	452.4	471.4	-	-	401.2	457.2	514.4	533.4
FX3076-20	508	508	-	-	-	-	-	296.9	357.1	382.5	401.6	420.6	-	-	376.2	406.4	463.6	482.6
FX3076-18	457.2	457.2	-	-	-	-	-	246.1	306.3	331.7	350.8	369.8	-	-	321.2	355.6	412.8	431.8
FX3076-16	406.4	406.4	-	-	-	-	-	195.3	255.5	280.9	299.9	319	-	-	271.8	304.8	361.9	381
FX3076-14	355.6	355.6	-	-	-	-	-	144.5	204.7	230.1	249.2	268.2	-	-	222.4	254	312	330.2
FX3076-12	304.8	304.8	-	-	-	-	-	93.7	153.9	179.3	198.4	217.4	-	-	173.0	203.2	260.4	279.4
FX3076-10	254	254	-	-	-	-	-	42.9	103.1	128.5	147.6	166.6	-	-	123.6	152.4	209.6	228.6

115
kg

19.0mm
side space

Steel Heavy Duty Slides
钢制重载滑轨

FX3053



- 适用于需要承重250磅的民用和工业用抽屉、拉盘、橱柜、托盘等。
Apply to utility and industrial truck bodies, industrial work stations, heavy duty machine tools and mechanical devices

全行程
Full extension

可拆分
Disconnect

防弹回
Hold-in detent


侧装
Side-mounted

偶数公制长度
8"~60" [1"=25mm]
Even lengths
8"~60" [1"=25mm]

表面处理采用
电镀锌
Surface is blue and zinc plated

产品规格 Product Size	滑轨长度 Slide Length (mm)	行程 Slide Travel (mm)	额定负载/副 Loading Rating kg/pair	重量/副 Weight (kg)
FX3053-12"	300	300	124	1.7
FX3053-14"	350	350	121	2.0
FX3053-16"	400	400	118	2.2
FX3053-18"	450	450	115	2.5
FX3053-20"	500	500	113	2.8
FX3053-22"	550	550	113	3.1
FX3053-24"	600	600	110	3.4
FX3053-26"	650	650	106	3.6
FX3053-28"	700	700	83	3.9
FX3053-30"	750	750	-	4.2
FX3053-32"	800	800	-	4.5
FX3053-34"	850	850	-	4.8
FX3053-36"	900	900	-	5.0
FX3053-38"	950	950	-	5.3
FX3053-40"	1000	1000	-	5.6
FX3053-42"	1050	1050	-	5.9
FX3053-44"	1100	1100	-	6.2
FX3053-46"	1150	1150	-	6.4
FX3053-48"	1200	1200	-	6.7
FX3053-50"	1250	1250	-	7.0
FX3053-52"	1300	1300	-	7.3
FX3053-54"	1350	1350	-	7.6
FX3053-56"	1400	1400	-	7.8
FX3053-58"	1450	1450	-	8.1
FX3053-60"	1500	1500	-	8.4

FX3053



FX3053L

Steel Lock in Lock out Heavy Duty Slides
钢制重载带锁滑轨

115
kg

19.0mm
side space



- 适用于需要承重250磅的民用和工业用抽屉、拉篮、橱柜、托盘等。
Apply to utility and industrial truck bodies, industrial work stations, heavy duty machine tools and mechanical devices

全行程
Full extension

可拆分
Disconnected

双重锁定
Lock-in/Lock-out


侧装
Side-mounted

偶数公制长度
12"~60" [1"=25mm]
Even lengths
12~60" [1"=25mm]

表面处理采用
电镀锌
Surface is blue and zinc plated

产品规格 Product Size	滑轨长度 Slide Length (mm)	行程 Slide Travel (mm)	额定负载/副 (kg) Loading Rating kg/pair	重量/副 (kg) Weight (kg)
FX3053L-12"	300	300	124	1.7
FX3053L-14"	350	350	121	2.0
FX3053L-16"	400	400	118	2.2
FX3053L-18"	450	450	115	2.5
FX3053L-20"	500	500	113	2.8
FX3053L-22"	550	550	113	3.1
FX3053L-24"	600	600	110	3.4
FX3053L-26"	650	650	106	3.6
FX3053L-28"	700	700	83	3.9
FX3053L-30"	750	750	-	4.2
FX3053L-32"	800	800	-	4.5
FX3053L-34"	850	850	-	4.8
FX3053L-36"	900	900	-	5.0
FX3053L-38"	950	950	-	5.3
FX3053L-40"	1000	1000	-	5.6
FX3053L-42"	1050	1050	-	5.9
FX3053L-44"	1100	1100	-	6.2
FX3053L-46"	1150	1150	-	6.4
FX3053L-48"	1200	1200	-	6.7
FX3053L-50"	1250	1250	-	7.0
FX3053L-52"	1300	1300	-	7.3
FX3053L-54"	1350	1350	-	7.6
FX3053L-56"	1400	1400	-	7.8
FX3053L-58"	1450	1450	-	8.1
FX3053L-60"	1500	1500	-	8.4

FX3053L



115
kg

19.0mm
side space

Steel Soft Closing Heavy Duty Slides
钢制阻尼重载滑轨

FX3053T



- 适用于需要承重250磅的民用和工业用抽屉、拉篮、橱柜、托盘等。
Apply to utility and industrial truck bodies, industrial work stations, heavy duty machine tools and mechanical devices

全行程
Full extension

可拆分
Disconnected

静音缓冲
Soft close, silent close


侧装
Side-mounted

偶数公制长度
12"~40" [1"=25mm]
Even lengths
12~40" [1"=25mm]

表面处理采用
电镀锌
Surface is blue and zinc plated

产品规格 Product Size	滑轨长度 Slide Length (mm)	行程 Slide Travel (mm)	额定负载/副 (kg) Loading Rating kg/pair	重量/副 (kg) Weight (kg)
FX3053T-12"	300	300	124	1.7
FX3053T-14"	350	350	121	2.0
FX3053T-16"	400	400	118	2.2
FX3053T-18"	450	450	115	2.5
FX3053T-20"	500	500	113	2.8
FX3053T-22"	550	550	113	3.1
FX3053T-24"	600	600	110	3.4
FX3053T-26"	650	650	106	3.6
FX3053T-28"	700	700	83	3.9
FX3053T-30"	750	750	-	4.2
FX3053T-32"	800	800	-	4.5
FX3053T-34"	850	850	-	4.8
FX3053T-36"	900	900	-	5.0
FX3053T-38"	950	950	-	5.3
FX3053T-40"	1000	1000	-	5.6

FX3053T



FX3053B

Stainless Steel Heavy Duty Slides
不锈钢制重载滑轨

115 kg
19.0mm side space




可定制:
耐高温滑轨
Customization option:
High temperature
resistant slides

- 适用于医疗, 船舶, 烤箱等超大型工业抽层或工业储存。
Apply to large and heavy duty medical or marine equipment, oven etc or industrial storage.

全行程 Full extension	防生锈, 耐腐蚀性 Rust and corrosion resistant	侧装 Side-mounted	偶数公制长度 12"~40" [1"=25mm] Even lengths 12~40" [1"=25mm]	表面拉丝处理 Surface is wire drawing treated
-----------------------	---	--------------------	---	---

产品规格 Product Size	滑轨长度 Slide Length (mm)	行程 Slide Travel (mm)	额定负载/副 (kg) Loading Rating kg/pair	重量/副 (kg) Weight (kg)
FX3053B-12"	300	300	124	1.7
FX3053B-14"	350	350	121	2.0
FX3053B-16"	400	400	118	2.2
FX3053B-18"	450	450	115	2.5
FX3053B-20"	500	500	113	2.8
FX3053B-22"	550	550	113	3.1
FX3053B-24"	600	600	110	3.4
FX3053B-26"	650	650	106	3.6
FX3053B-28"	700	700	83	3.9
FX3053B-30"	750	750	-	4.2
FX3053B-32"	800	800	-	4.5
FX3053B-34"	850	850	-	4.8
FX3053B-36"	900	900	-	5.0
FX3053B-38"	950	950	-	5.3
FX3053B-40"	1000	1000	-	5.6

FX3053B



1000 kg
46.0mm side space

FX3090

Al-alloy Heavy Duty Slides
铝合金制重载滑轨




- 适用于医疗方舱, 军用车辆, 车载发电机, 特种车辆, 轨道交通, 航空, 航天, 无人机方舱等。
Works well in medical shelters, military vehicles, on-board generators, special vehicles, rail transit, aviation, aerospace, drone shelters, etc.

全行程 Full extension	防沙尘 Sand and dust resistant	端部挡块和挡板 Designed with stops and baffles	侧装 Side-mounted	偶数公制长度 20"~80" [1"=25mm] Even lengths 20~80" [1"=25mm]	工作温度 -45° C~+65° C Wok temperature: -45° C~+65° C
-----------------------	-----------------------------------	---	--------------------	---	---

产品规格 Product Size	滑轨长度 Slide Length (mm)	行程 Slide Travel (mm)	额定负载/副 (kg) Loading Rating kg/pair	重量/副 (kg) Weight (kg)
FX3090-20"	500	500	1000	9.0
FX3090-22"	550	550	975	9.9
FX3090-24"	600	600	950	10.8
FX3090-26"	650	650	925	11.7
FX3090-28"	700	700	900	12.6
FX3090-30"	750	750	875	13.5
FX3090-32"	800	800	850	14.4
FX3090-36"	900	900	800	16.2
FX3090-40"	1000	1000	750	18.0
FX3090-44"	1100	1100	700	19.8
FX3090-48"	1200	1200	650	21.6
FX3090-52"	1300	1300	600	23.4
FX3090-56"	1400	1400	550	25.2
FX3090-60"	1500	1500	500	27.0
FX3090-64"	1600	1600	450	28.8
FX3090-68"	1700	1700	400	30.6
FX3090-72"	1800	1800	350	32.4
FX3090-80"	2000	2000	250	36.0

FX3090



FX2090

Al-alloy Heavy Duty Slides
铝合金制重载滑轨

530
kg
26.8mm
side space



可定制
限位功能
OEM option:
defert in/out

- 适用于医疗方舱，军用车辆，车载发电机，特种车辆，轨道交通，航空，航天，无人机方舱等。
Works well in medical shelters, military vehicles, on-board generators, special vehicles, rail transit, aviation, aerospace, drone shelters, etc.

60%行程
60% extension

防沙尘
Sand and dust
resistant

端部挡块和挡板
Designed with stops
and baffles


侧装
Side-mounted

偶数公制长度
20"~64" [1"=25mm]
Even lengths
20~64" [1"=25mm]

工作温度
-45° C~+65° C
Wok temperature: -45° C~+65° C

产品规格 Product Size	滑轨长度 Slide Length (mm)	行程 Slide Travel (mm)	额定负载/副 Loading Rating kg/pair	重量/副 Weight (kg)
FX2090-20"	500	300	530	6.2
FX2090-22"	550	330	515	6.8
FX2090-24"	600	360	505	7.4
FX2090-26"	650	390	490	8.1
FX2090-28"	700	420	480	8.7
FX2090-30"	750	450	475	9.3
FX2090-32"	800	480	465	9.9
FX2090-36"	900	540	440	11.2
FX2090-38"	950	570	430	11.8
FX2090-40"	1000	600	415	12.4
FX2090-42"	1050	630	400	13.0
FX2090-44"	1100	660	390	13.6
FX2090-46"	1150	690	380	14.3
FX2090-48"	1200	720	365	14.9
FX2090-52"	1300	780	340	16.1
FX2090-54"	1350	810	330	16.7
FX2090-56"	1400	840	315	17.4
FX2090-58"	1450	870	300	18.0
FX2090-60"	1500	900	290	18.6
FX2090-62"	1550	930	280	19.2
FX2090-64"	1600	960	270	19.8

FX2090



500
kg
46.0mm
side space

FX3070

Al-alloy Heavy Duty Slides
铝合金制重载滑轨



可定制
双向行程或限位
OEM: two way
extension,
defert in/out

- 适用于医疗方舱，军用车辆，车载发电机，特种车辆，轨道交通，航空，航天，无人机方舱等。
Works well in medical shelters, military vehicles, on-board generators, special vehicles, rail transit, aviation, aerospace, drone shelters, etc.

全行程
Full extension

防沙尘
Sand and dust
resistant

端部挡块和挡板
Designed with stops
and baffles


侧装
Side-mounted

偶数公制长度
20"~80" [1"=25mm]
Even lengths
20~80" [1"=25mm]

工作温度
-45° C~+65° C
Wok temperature: -45° C~+65° C

产品规格 Product Size	滑轨长度 Slide Length (mm)	行程 Slide Travel (mm)	额定负载/副 Loading Rating kg/pair	重量/副 Weight (kg)
FX3070-20"	500	500	500	8.6
FX3070-22"	550	550	490	9.5
FX3070-24"	600	600	480	10.3
FX3070-26"	650	650	470	11.2
FX3070-28"	700	700	460	12.0
FX3070-30"	750	750	450	12.9
FX3070-32"	800	800	440	13.8
FX3070-36"	900	900	420	15.5
FX3070-40"	1000	1000	400	17.2
FX3070-44"	1100	1100	380	18.6
FX3070-48"	1200	1200	360	20.6
FX3070-52"	1300	1300	340	22.4
FX3070-56"	1400	1400	320	24.1
FX3070-60"	1500	1500	300	25.8
FX3070-64"	1600	1600	275	27.5
FX3070-68"	1700	1700	250	29.2
FX3070-72"	1800	1800	225	31.0
FX3070-80"	2000	2000	220	34.4

FX3070





MEDIUM DUTY SLIDES

中载滑轨

68 kg

12.7mm slide space

Steel Heavy Duty Slides
钢制中载滑轨

FX3051



- 需要承重68kg的民用和工业用抽屉、拉篮、橱柜、托盘等。
Apply to wide lateral file drawer, large storage drawer trays, and toolbox.

全行程
Full extension


可拆分
Disconnected

防弹回
Hold-in detent

侧装
Side-mounted

偶数公制长度
10"~40" [1"=25mm]
Even lengths
10"~40" [1"=25mm]

表面处理采用
电镀蓝白锌
Surface is blue and zinc plated



以下图表为本公司规格孔位以样板为准,如有更改恕不通知,另可以照客户需求订制孔位。

产品规格 Product Size	闭合长度 Closed Length		拉出长度 Draw out length		孔位及相关长度 (Hole pattern) 单位: mm									
	L1	L	A'	B'	C'	A	B	C	D	E	F	G		
FX3051-10"	250	250	160	-	-	64	-	-	160	-	-	-	-	-
FX3051-12"	300	310	96	208	-	64	-	-	192	-	-	-	96	-
FX3051-14"	350	360	128	256	-	64	-	-	224	-	-	-	96	-
FX3051-16"	400	410	128	320	-	64	-	-	224	288	-	-	96	-
FX3051-18"	450	460	160	352	-	64	-	-	224	352	-	-	96	-
FX3051-20"	500	508	192	416	-	64	224	352	416	-	-	-	96	-
FX3051-22"	550	565	224	448	-	64	224	352	-	416	64	-	96	-
FX3051-24"	600	615	224	512	-	64	224	352	480	-	-	-	96	-
FX3051-26"	650	665	256	544	-	64	224	352	512	-	-	-	96	-
FX3051-28"	700	715	288	608	-	64	224	352	480	608	-	-	96	-
FX3051-30"	750	765	320	640	-	64	224	352	480	640	-	-	96	-
FX3051-32"	800	815	256	512	704	64	224	384	544	704	-	-	96	-
FX3051-34"	850	865	256	512	768	64	224	384	544	736	-	-	96	-
FX3051-36"	900	915	256	544	800	64	224	416	576	768	-	-	96	-
FX3051-38"	950	965	288	576	864	64	256	448	640	832	-	-	96	-
FX3051-40"	1000	1010	288	608	896	64	256	480	704	896	-	-	96	-

FX3051L

Steel Locking Medium Duty Slides
钢制带锁滑轨

68
kg

12.7mm
side space



- 适用于医疗，房车，船舶等超大型重抽展。
Apply to large and heavy drawers such as medical treatment, RV, ship, etc.

全行程
Full extension

可拆分
Disconnected


双向锁定
Lock-in/Lock-out

侧装
Side-mounted

偶数公制长度
12"~40" [1"=25mm]
Even lengths
12~40" [1"=25mm]

表面处理采用电镀蓝白锌
Surface is blue and white zinc plated

FX3051L



以下图表为本公司常规孔位实际以样册为主，如有更改恕不通知。

产品规格 Product Size	闭合长度 Closed Length		拉出长度 Draw out length		孔位及相关长度 (Hole pattern) 单位 unit:mm								
	L1	L	A	B	C	D	E	F	G				
FX3051L-12"	300	310	96	208	-	-	192	-	-	-	-	-	-
FX3051L-14"	350	360	128	256	-	64	224	-	-	-	-	-	-
FX3051L-16"	400	410	128	288	-	64	224	288	-	-	-	-	-
FX3051L-18"	450	460	160	352	-	64	224	352	-	-	-	-	-
FX3051L-20"	500	510	192	416	-	64	224	352	416	-	-	-	-
FX3051L-22"	550	560	224	448	-	64	256	352	-	416	64	96	-
FX3051L-24"	600	610	224	512	-	64	256	352	480	-	-	96	-
FX3051L-26"	650	660	256	544	-	64	192	352	512	-	-	-	-
FX3051L-28"	700	710	288	608	-	64	224	352	480	608	-	96	-
FX3051L-30"	750	760	288	640	-	64	224	352	480	640	-	96	-
FX3051L-32"	800	810	256	512	704	64	224	384	544	704	-	96	-
FX3051L-34"	850	860	256	512	736	64	224	364	544	736	-	96	-
FX3051L-36"	900	900	256	544	800	64	224	416	576	768	-	96	-
FX3051L-38"	950	950	288	576	864	64	256	448	640	832	-	96	-
FX3051L-40"	1000	1000	288	608	896	64	256	480	704	896	-	96	-

LIGHT DUTY SLIDES

轻载滑轨



FX3045 Steel Light Duty Drawer Slides 钢制轻载滑轨


45 kg
12.7mm side space



- 应用于办公家具，橱柜以及家用抽屉以及工业电子设备等。
Apply to office furniture, kitchen cabinet, home drawers, and industrial electronic devices etc.

全行程 Full extension	可拆分 Disconnected	防弹回 Hold-in detent	侧装 Side-mounted	偶数公制长度 8"~40" [1"=25mm] Even lengths 8"~40" [1"=25mm]	表面处理采用 电镀蓝白锌 Surface is blue and white zinc plated
-----------------------	---------------------	-----------------------	--------------------	--	--

FX3045



产品规格 Product Size	L	A	B	C	D	E	F	G	H	I	T
FX3045-8"	200	-	-	-	-	-	-	128	-	-	200
FX3045-10"	250	96	-	-	-	-	-	64	128	-	265
FX3045-12"	300	96	-	-	-	-	-	96	128	-	315
FX3045-14"	350	160	-	-	-	-	-	96	160	-	365
FX3045-16"	400	160	64	-	-	-	-	128	192	-	415
FX3045-18"	450	160	128	-	-	-	-	160	192	-	465
FX3045-20"	500	160	128	64	-	-	-	192	224	-	515
FX3045-22"	550	160	128	64	-	-	-	192	256	-	565
FX3045-24"	600	160	128	128	-	-	-	224	288	-	615
FX3045-26"	650	160	128	128	-	-	-	256	288	-	665
FX3045-28"	700	160	128	128	128	-	-	288	320	-	715
FX3045-30"	750	160	128	128	128	-	-	320	320	-	765
FX3045-32"	800	160	128	128	128	-	-	320	352	-	815
FX3045-34"	850	160	128	128	128	128	-	256	256	256	865
FX3045-36"	900	160	128	128	128	128	-	256	256	256	915
FX3045-38"	950	160	128	128	128	128	128	288	288	288	965
FX3045-40"	1000	160	128	128	128	128	128	288	288	288	1015

45 kg
12.7mm side space

Steel Locking Light Duty Slides 钢制带锁滑轨 FX3045L




- 应用于医疗，房车，船舶，工业电子设备等。
Apply to medical, RV, marine, industrial electronic equipment, etc..

全行程 Full extension	可拆分 Disconnected	闭合锁定 Lock-in	侧装 Side-mounted	偶数公制长度 12"~23" [1"=25mm] Even lengths 12"~23" [1"=25mm]	表面处理采用 电镀蓝白锌 Surface is blue and white zinc plated
-----------------------	---------------------	-----------------	--------------------	--	--

产品规格 Product Size	滑轨长度 Slide Length (mm)	行程 Slide Travel (mm)	额定负载/副 (kg) Loading Rating kg/pair	重量/副 (kg) Weight (kg)
FX3045L-12"	300	300	27	0.9
FX3045L-14"	350	350	34	1.1
FX3045L-16"	400	400	45	1.2
FX3045L-18"	450	450	45	1.4
FX3045L-20"	500	500	45	1.5
FX3045L-22"	550	550	45	1.7
FX3045L-24"	600	600	39	1.8
FX3045L-26"	650	650	32	2.0
FX3045L-28"	700	700	27	2.1
FX3045L-30"	750	750	-	2.3
FX3045L-32"	800	800	-	2.4

FX3045L



FX3045B

Stainless Steel Light Duty Drawer Slides
不锈钢制轻载滑轨

45
kg

12.7mm
side space




- 应用于医疗，房车，船舶，工业电子设备等。
Apply to medical, RV, marine, industrial electronic equipment, etc...

全行程 Full extension	可拆分 Disconnected	防锈，抗腐蚀 Rust and corrosion resistant	侧装 Side-mounted	偶数公制长度 8"~24" [1"=25mm] Even lengths 8"~24" [1"=25mm]	表面拉丝处理 Surface is wire drawing treated
-----------------------	---------------------	---	--------------------	--	---

产品规格 Product Size	滑轨长度 Slide Length (mm)	行程 Slide Travel (mm)	额定负载/副 (kg) Loading Rating kg/pair	重量/副 (kg) Weight (kg)
FX3045B-8"	200	200	20	0.6
FX3045B-10"	250	250	23	0.8
FX3045B-12"	300	300	27	0.9
FX3045B-14"	350	350	34	1.1
FX3045B-16"	400	400	45	1.2
FX3045B-18"	450	450	45	1.4
FX3045B-20"	500	500	45	1.5
FX3045B-22"	550	550	45	1.7
FX3045B-24"	600	600	39	1.8

FX3045B



SPECIALTY SLIDES FOR AUTOMATIC SYSTEM

自动化专用滑轨



SRH151/SRRH151

Steel Medium Duty Slides
钢制中载滑轨

68
kg

12.7mm
side space



- 可应用在金融设备、工业电子设备、工具柜、医疗设备和汽车部分等。
Apply to financial equipment, industrial electronic equipment, tool cabinets, medical equipment and automotive parts, etc.

全行程
Full extension

可拆分/不可拆分
Disconnected/
Non-disconnected


防弹回
Hold-in detent

侧装
Side-mounted

偶数公制长度
12"~28" [1"=25.4mm]
Even lengths
12"~28" [1"=25.4mm]

表面处理采用
电镀蓝白锌
Surface is blue and white zinc plated

SRH151 拉拔：不可
SRRH151 拉拔：可



E 依生产批次不同，截面形状可能有细微不同。

M 材质 钢
S 表面处理 铬酸盐光澤处理 (三价铬)

产品规格 Product Size		滑轨长度		行程		SRH151		SRRH151		C		D		E		F		G		额定负载 (N/2个)
Type	No.					A	B	A	B											
SRH151	12	305	330.2	76.2	177.8	76.2	-	254	76.2	190.5	241.3	266.7	843							
	14	356	381	101.6	203.2	127	-	304.8	88.9	215.9	292.1	317.5	814							
	16	406	431.8	127	228.6	152.4	317.5	355.6	127	241.3	342.9	368.3	765							
	18	457	482.6	127	279.4	177.8	368.3	406.4	127	292.1	393.7	419.1	726							
SRRH151 (拉拔型)	20	508	533.4	152.4	304.8	152.4	419.1	457.2	152.4	317.5	444.5	469.9	706							
	22	559	58.2	177.8	330.2	177.8	469.9	508	177.8	342.9	495.3	520.7	686							
	24	610	635	177.8	381	177.8	520.7	558.8	177.8	393.7	546.1	571.5	657							
	26	660	685.8	203.2	406.4	203.2	571.5	609.6	203.2	419.1	596.9	622.3	628							
	28	711	736.6	228.6	431.8	228.6	622.3	660.4	228.6	444.5	647.7	673.1	608							

55
kg

19.1mm
side space

Steel Medium Duty Slides
钢制中载滑轨

FX3036



- 需要承重55公斤的重型储物抽屉 电子产品、机动车工具箱及大型的托座ATM机、排队机、售票机、售货机、房车、消防车、大型货架、机箱、机柜、配电柜、展览柜等。
Apply to heavy duty storage drawers, electronic products, automobile tool boxes, large pantry pull-outs, ATM, Ticket dispenser unit and etc with 60kg loading.

全行程
Full extension

不可拆分
Non-disconnected


侧装
Side-mounted

偶数公制长度
12"~28" [1"=25.4mm]
Even lengths
12"~28" [1"=25.4mm]

表面处理采用
电镀蓝白锌
Surface is blue and white zinc plated

FX3036

拉拔：不可



E 依生产批次不同，截面形状可能有细微不同。

M 材质 钢
S 表面处理 铬酸盐光澤处理 (三价铬)

产品规格 Product Size		滑轨长度		行程		A		B		C		D		额定负载 (N/2个)
Type	No.													
FX3036-12	305	334.2	-	149.2	260.3	273	500							
	356	375.4	-	200	311.1	323.8	529							
	406	424.6	-	250.8	361.9	374.6	500							
	457	475.8	212.7	301.6	412.7	425.4	461							
FX3036-20	508	527	238.1	352.4	463.5	476.2	451							
	559	578.2	263.5	403.2	514.3	527	402							
	610	629.4	288.9	454	565.1	577.8	353							
	660	678.6	314.3	504.8	615.9	628.6	333							
	711	729.8	339.7	555.6	666.7	679.4	294							

FX2027 Steel Light Duty Slides 钢制轻载滑轨

25 kg
9.5mm side space



- 可用于办公设备, 工业电子设备, 陈列货架, 医疗设备和汽车部分等。
Apply to office furniture, industrial electronic devices, shelves, medical equipment and vehicles parts design.

部分行程
Partial extension

不可拆分
Non-disconnected


侧装
Side-mounted

偶数公制长度
8"~20" [1"=25mm]
Even lengths
8"~20" [1"=25mm]

表面处理采用
电镀蓝白锌
Surface is blue and white zinc plated

FX2027

拉拔: 不可



E 依生产批次不同, 截面形状可能有稍许不同。

M 材质 钢
S 表面处理 镀铬盐光澤处理 (三价铬)

产品规格 Product Size	滑轨长度	行程	A	B	C	D	E	F	额定负载 (N/2个)
FX2027-8	200	135	140	160	-	140	160	62.5	260
FX2027-10	250	185	190	210	150	190	210	62.5	240
FX2027-12	300	222	240	260	190	240	260	62.5	230
FX2027-14	350	260	290	310	225	290	310	62.5	210
FX2027-16	400	297	340	360	265	340	360	62.5	200
FX2027-18	450	334	390	410	300	390	410	142.5	180
FX2027-20	500	371	440	460	337	440	460	142.5	170

25 kg
9.5mm side space

Stainless Steel Light Duty Slides 不锈钢轻载滑轨 FX2027B



- 可用于办公设备, 工业电子设备, 陈列货架, 医疗设备和汽车部分等。
Apply to office furniture, industrial electronic devices, shelves, medical equipment and vehicles parts design.

部分行程
Partial extension

不可拆分
Non-disconnected


侧装
Side-mounted

偶数公制长度
8"~20" [1"=25.4mm]
Even lengths
8"~20" [1"=25.4mm]

防锈抗腐蚀
Rust and corrosion resistant

FX2027B

拉拔: 不可



M 材质 滑轨 SUS304
滚珠 SUS440C

产品规格 Product Size	滑轨长度	行程	A	B	C	D	E	额定负载 (N/2个)
FX2027B-8	203.2	136.1	143.2	163.2	-	143.2	163.2	255
FX2027B-10	254	186.9	194	214	154	194	214	235
FX2027B-12	304.8	225	244.8	264.8	194.8	244.8	264.8	235
FX2027B-14	355.6	263.1	295.6	315.6	230.6	295.6	315.6	225
FX2027B-16	406.4	301.2	346.4	366.4	271.4	346.4	366.4	206
FX2027B-18	457.2	339.3	397.2	417.2	307.2	397.2	417.2	196
FX2027B-20	508	377.4	448	468	345	448	468	176

FX2036 Steel Light Duty Slides 钢制轻载滑轨

40 kg
9.6mm side space



- 可用于办公设备, 工业电子设备, 陈列货架, 医疗设备和汽车部分等。
Apply to office furniture, industrial electronic devices, shelves, medical equipment and vehicles parts design.

部分行程
Partial extension

不可拆分
Non-disconnected


侧装
Side-mounted

偶数公制长度
12"-28" [1"-25.4mm]
Even lengths
12"-28" [1"-25.4mm]

表面处理采用
电镀蓝白锌
Surface is blue and white zinc plated

FX2036

拉拔: 可



- E 内滑轨与外滑轨不能调换使用。
- S 依生产批次不同, 截面形状可能有稍微不同。

- M 材质 钢
- S 表面处理 铬酸盐光泽处理 (三价铬)

产品规格 Product Size	滑轨长度	行程	A	B	C	D	E	F	G	额定负载 (N-2个)
FX2036-12	305	229	-	152.4	254	-	149.2	260.3	273	294
FX2036-14	356	279	-	203.2	304.8	-	200	311.1	323.8	363
FX2036-16	406	305	-	254	355.6	-	250.8	361.9	374.6	382
FX2036-18	457	330	203.2	304.8	406.4	212.7	301.6	412.7	425.4	362
FX2036-20	508	381	228.6	355.6	457.2	238.1	352.4	463.5	476.2	323
FX2036-22	559	406	254	406.4	508	263.5	403.2	514.3	527	304
FX2036-24	610	432	279.4	457.2	558.8	288.9	454	565.1	577.8	265
FX2036-26	660	483	304.8	508	609.6	314.3	504.8	615.9	628.6	235
FX2036-28	711	508	330.2	558.8	660.4	339.7	555.6	666.7	679.4	225

40 kg
9.6mm side space

Stainless Steel Light Duty Slides 不锈钢制轻载滑轨 FX2036B



- 可用于办公设备, 工业电子设备, 陈列货架, 医疗设备和汽车部分等。
Apply to office furniture, industrial electronic devices, shelves, medical equipment and vehicles parts design.

部分行程
Partial extension

不可拆分
Non-disconnected


侧装
Side-mounted

偶数公制长度
12"-28" [1"-25.4mm]
Even lengths
12"-28" [1"-25.4mm]

防锈, 抗腐蚀
Rust and corrosion resistant

FX2036B

拉拔: 不可



- E 内滑轨与外滑轨不能调换使用。

- M 材质 滑轨 SUS304
滚珠 SUS440C

产品规格 Product Size	滑轨长度	行程	A	B	C	D	E	F	G	额定负载 (N-2个)
FX2036B-12	304.8	228.6	-	152.4	254	-	149.2	260.3	273	481
FX2036B-14	355.6	279.4	-	203.2	304.8	-	200	311.1	323.8	461
FX2036B-16	406.4	304.8	-	254	355.6	-	250.8	361.9	374.6	422
FX2036B-18	457.2	330.2	203.2	304.8	406.4	212.7	301.6	412.7	425.4	402
FX2036B-20	508.0	381	228.6	355.6	457.2	238.1	352.4	463.5	476.2	363
FX2036B-22	558.8	406.4	254	406.4	508	263.5	403.2	514.3	527	333
FX2036B-24	609.6	431.8	279.4	457.2	558.8	288.9	454	565.1	577.8	294
FX2036B-26	660.4	482.6	304.8	508	609.6	314.3	504.8	615.9	628.6	265
FX2036B-28	711.2	508	330.2	558.8	660.4	339.7	555.6	666.7	679.4	245

FX3020H

Al-alloy Full Extension Slide
铝合金三节滑轨

30
kg

16mm
side space



- 可用于办公设备，工业电子设备，陈列货架，医疗设备和汽车部分等。
Apply to office furniture, industrial electronic devices, shelves, medical equipment and vehicles parts design.

全行程
Full extension

不可拆分
Non-disconnected


侧装
Side-mounted

长度100mm—500mm
Lengths 100mm—500mm


表面处理
本色阳极处理
Surface is anodized

FX3020H

拉拔：不可



外滑轨安装孔



	M 材质	S 表面处理
1	铝合金	本色阳极氧化处理
2		
3	钢—	

产品规格 Product Size	滑轨长度	行程	A	B	C	D	额定负载 (N-2个)
FX3020H-100	100	100	-	70	-	70	107
FX3020H-200	200	223	85	170	85	170	88
FX3020H-300	300	345	135	270	135	270	68
FX3020H-400	400	460	185	370	185	370	49
FX3020H-500	500	576	235	470	235	470	29

13
kg

9.6mm
side space

AL-alloy light duty drawer slide
铝合金制轻载滑轨

FX2020H



- 可用于办公设备，工业电子设备，陈列货架，医疗设备和汽车部分等。
Apply to office furniture, industrial electronic devices, shelves, medical equipment and vehicles parts design.

部分行程
Partial extension

不可拆分
Non-disconnected


侧装
Side-mounted

长度 60mm—500mm
Lengths 60mm—500mm


表面处理银色阳极处理
Surface is anodized

FX2020H

拉拔：不可



外滑轨安装孔



	M 材质	S 表面处理
1	铝合金	本色阳极氧化处理
2		
3	钢—	

Ⓔ A、B 为外滑轨的安装孔尺寸。

产品规格 Product Size	滑轨长度	行程	A	B	C	D	F	额定负载 (N-2个)
FX2020H-60	60	30	-	30	-	30	25	147
FX2020H-70	70	40	-	40	-	40	25	
FX2020H-90	90	50	-	60	-	60	25	
FX2020H-100	100	60	-	70	-	70	25	117
FX2020H-200	200	120	85	170	85	170	65	
FX2020H-300	300	180	135	270	135	270	105	98
FX2020H-400	400	240	185	370	185	370	145	88
FX2020H-500	500	300	235	470	235	470	185	78

FX2028

Steel Extra Heavy Duty Drawer Slide
钢制超重载滑轨

400
kg

13mm
side space



- 可用于办公设备, 工业电子设备, 陈列货架, 医疗设备和汽车部分等。
Apply to office furniture, industrial electronic devices, shelves, medical equipment and vehicles parts design.

双向部分行程
Partial extension


不可拆分
Non-disconnected

侧装
Side-mounted

可做长度
130mm~1170mm
Lengths 130mm~1170mm

主体轴承钢,
表面处理电镀锌
Material Gcr15, surface is blue and white zinc plated

FX2028



产品规格 Product Size	滑轨长度	行程	A	B	承载能力 (N)
FX2028-130	130	74	2	1	613
FX2028-210	210	116	3	2	1116
FX2028-290	290	148	4	3	1934
FX2028-370	370	190	5	4	2445
FX2028-450	450	232	6	5	2955
FX2028-530	530	274	7	6	3466
FX2028-610	610	316	8	7	3976
FX2028-690	690	358	9	8	4487
FX2028-770	770	400	10	9	4997
FX2028-850	850	433	11	10	5828
FX2028-930	930	475	12	11	6338
FX2028-1010	1010	517	13	12	6848
FX2028-1090	1090	559	14	13	7358
FX2028-1170	1170	601	15	14	7868

200
kg

9.6mm
side space

Steel Extra Heavy Duty Drawer Slide
钢制超重载滑轨

FX3028



- 可用于办公设备, 工业电子设备, 陈列货架, 医疗设备和汽车部分等。
Apply to office furniture, industrial electronic devices, shelves, medical equipment and vehicles parts design.

全行程
Partial extension


不可拆分
Non-disconnected

侧装
Side-mounted

可做长度 130mm~1170mm
Lengths 60mm~500mm

主体轴承钢, 表面处理电镀锌
Material Gcr15, surface is blue and white zinc plated

FX3028



产品规格 Product Size	L	T	A	N	承载能力 (N)
FX3028-130	130	74	2	1	613
FX3028-210	210	116	3	2	1116
FX3028-290	290	148	4	3	1934
FX3028-370	370	190	5	4	2445
FX3028-450	450	232	6	5	2955
FX3028-530	530	274	7	6	3466
FX3028-610	610	316	8	7	3976
FX3028-690	690	358	9	8	4487
FX3028-770	770	400	10	9	4997
FX3028-850	850	433	11	10	5828
FX3028-930	930	475	12	11	6338
FX3028-1010	1010	517	13	12	6848
FX3028-1090	1090	559	14	13	7358
FX3028-1170	1170	601	15	14	7868


FX2043

Steel Extra Heavy Duty Drawer Slide
钢制重载抽屉滑轨600
kg22mm
side space

- 可用于办公设备，工业电子设备，陈列货架，医疗设备和汽车部分等。
Apply to office furniture, industrial electronic devices, shelves, medical equipment and vehicles parts design.

双向部分行程
Partial extension不可拆分
Non-disconnected侧装
Side-mounted可做长度
130mm~1170mm
Lengths 130mm~1170mm主体轴承钢，
表面处理电镀锌
Material Gcr15, surface is blue and white zinc plated

FX2043



产品规格 Product Size	L	L1	A	N	承载能力 (N)
FX2043-130	130	74	2	1	613
FX2043-210	210	116	3	2	1116
FX2043-290	290	148	4	3	1934
FX2043-370	370	190	5	4	2445
FX2043-450	450	232	6	5	2955
FX2043-530	530	274	7	6	3466
FX2043-610	610	316	8	7	3976
FX2043-690	690	358	9	8	4487
FX2043-770	770	400	10	9	4997
FX2043-850	850	433	11	10	5828
FX2043-930	930	475	12	11	6338
FX2043-1010	1010	517	13	12	6848
FX2043-1090	1090	559	14	13	7358
FX2043-1170	1170	601	15	14	7868

300
kg44mm
side spaceSteel Extra Heavy Duty Drawer Slide
钢制重载抽屉滑轨


FX3043



- 可用于办公设备，工业电子设备，陈列货架，医疗设备和汽车部分等。
Apply to office furniture, industrial electronic devices, shelves, medical equipment and vehicles parts design.

全行程
Partial extension不可拆分
Non-disconnected侧装
Side-mounted可做长度 130mm~1170mm
Lengths 60mm~500mm主体轴承钢，表面处理电镀锌
Material Gcr15, surface is blue and white zinc plated

FX3043



产品规格 Product Size	L	L1	A	N	承载能力 (N)
FX3043-130	130	74	2	1	613
FX3043-210	210	116	3	2	1116
FX3043-290	290	148	4	3	1934
FX3043-370	370	190	5	4	2445
FX3043-450	450	232	6	5	2955
FX3043-530	530	274	7	6	3466
FX3043-610	610	316	8	7	3976
FX3043-690	690	358	9	8	4487
FX3043-770	770	400	10	9	4997
FX3043-850	850	433	11	10	5828
FX3043-930	930	475	12	11	6338
FX3043-1010	1010	517	13	12	6848
FX3043-1090	1090	559	14	13	7358
FX3043-1170	1170	601	15	14	7868